

AQUAPY MICRO

Version 13 / GB 102000011789 1/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| AQUAPY MICRO |
|--|
| 06477402 |
| f the substance or mixture and uses advised against |
| Insecticide |
| he safety data sheet |
| Bayer Environmental Science 230 Cambridge Science Park Milton Road Cambridge CambridgeshireCB4 0WB United Kingdom |
| 00800-1214 9451 |
| +44(0)1223 426240 |
| Email: ukcropsupport@bayer.com |
| |
| 00800 1020 3333 (24 hr) |
| |

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:



AQUAPY MICRO

Version 13 / GB 102000011789

2/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

- Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical CO2 (Redefined from Pyrethrins and Pyrethroids and Chrysanthemum cinerariaefolium, ext.)
 - Piperonyl butoxide



Signal word: Warning

Hazard statements

| H410 | Very toxic to aquatic life with long lasting effects. |
|------|---|
| H410 | |
| | |

- EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.
- EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Emulsion, oil in water (EW) Chrysanthemum cinerariaefolium, extract 30 g/l; Piperonyl butoxide 135 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

| Name | CAS-No. / | Classification | Conc. [%] |
|--|----------------------------|---|-----------|
| | EC-No. / REACH Reg. No. | REGULATION (EC) No 1272/2008 | |
| Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical CO2 (Redefined from Pyrethrins and Pyrethroids and | 89997-63-7 289-699-3 | Acute Tox. 4, H302 Acute Tox. 4, H332 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | 3.00 |



AQUAPY MICRO

Version 13 / GB 102000011789 **3/14** Revision Date: 16.11.2020 Print Date: 17.11.2020

| Chrysanthemum cinerariaefolium, ext.) | | | |
|---|--|--|-------------------------|
| Piperonyl butoxide | 51-03-6 200-076-7 01-2119537431-46-xxxx | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | 13.50 |
| Fatty alcohol polyglycol ether 16-20 EO | 9004-98-2 500-016-2 | Eye Dam. 1, H318 | >= 1.00 - <= 3.00 |
| Polyalkyleneoxide modified Heptamethyltrisiloxane | 27306-78-1 | Acute Tox. 4, H332 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 | > 1.00 - < 25.00 |
| Distillates (petroleum), hydrotreated light | 64742-47-8 265-149-8 01-2119456620-43-xxxx | Asp. Tox. 1, H304 | > 1.00 - < 10.00 |
| Octadecan-1-ol, ethoxylated | 9005-00-9 500-017-8 | Aquatic Acute 1, H400 Aquatic Chronic 2, H411 | >= 0.1 - <= 0.25 |
| reaction mass of 5-chloro- 2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3- one (3:1) | 55965-84-9 | Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | > 0.00015 – < 0.0015 |
| Cetyl alcohol | 36653-82-4 253-149-0 01-2119485905-24-xxxx | Not classified | > 1 |

Further information

| Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical CO2 (Redefined from Pyrethrins and Pyrethroids and Chrysanthemum cinerariaefolium, ext.) | 89997-63-7 | M-Factor: 100 (chronic) |
|---|------------|--------------------------------------|
| Piperonyl butoxide | 51-03-6 | M-Factor: 1 (acute) |
| reaction mass of 5- chloro-2- methyl- 2H-isothiazol-3- one and 2-methyl- 2H-isothiazol-3- one (3:1) | 55965-84-9 | M-Factor: 100 (acute), 100 (chronic) |



Version 13 / GB 102000011789 **4/14** Revision Date: 16.11.2020 Print Date: 17.11.2020

Substances for which there are Community workplace exposure limits:

Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical CO2 (Redefined from Pyrethrins and Pyrethroids and Chrysanthemum cinerariaefolium, ext.) (89997-63-7)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measuresGeneral advice Move out of dangerous area. Place and transport victim in stable

| | position (lying sideways). Remove contaminated clothing immediately and dispose of safely. | | |
|--|---|--|--|
| Inhalation | Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately. | | |
| Skin contact | Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician. | | |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists. | | |
| Ingestion | Rinse mouth. Do NOT induce vomiting. Do not leave victim unattended. Call a physician or poison control center immediately. | | |
| 4.2 Most important symptoms | s and effects, both acute and delayed | | |
| Symptoms | Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing | | |
| | Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness | | |
| 4.3 Indication of any immediate medical attention and special treatment needed | | | |
| Risks | This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. | | |



Version 13 / GB 102000011789

5/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

TreatmentSystemic treatment: Initial treatment: symptomatic. Monitor: respiratory
and cardiac functions. In case of ingestion gastric lavage should be
considered in cases of significant ingestions only within the first 2
hours. However, the application of activated charcoal and sodium
sulphate is always advisable. Keep respiratory tract clear. Oxygen or
artificial respiration if needed. In case of convulsions, a
benzodiazepine (e.g. diazepam) should be given according to standard
regimens. If not effective, phenobarbital may be used.
Contraindication: atropine. Contraindication: derivatives of adrenaline.
There is no specific antidote. Recovery is spontaneous and without
sequelae.In case of skin irritation, application of oils or lotions containing vitamin
E may be considered.

SECTION 5: FIREFIGHTING MEASURES

| 5.1 Extinguishing media | |
|---|--|
| Suitable | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| 5.2 Special hazards arising from the substance or mixture | Dangerous gases are evolved in the event of a fire. |
| 5.3 Advice for firefighters | |
| Special protective equipment for firefighters | In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus. |
| Further information | Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses. |

SECTION 6: ACCIDENTAL RELEASE MEASURES

| 6.1 Personal precautions, protective equipment and emergency procedures | | | |
|---|---|--|--|
| Precautions | Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. | | |
| 6.2 Environmental precautions | Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060). | | |
| 6.3 Methods and materials for | r containment and cleaning up | | |
| Methods for cleaning up | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal. | | |
| Additional advice | Check also for any local site procedures. | | |



AQUAPY MICRO

Version 13 / GB 102000011789 6/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

| 6.4 Reference to other | Information regarding safe handling, see section 7. |
|------------------------|---|
| sections | Information regarding personal protective equipment, see section 8. |
| | Information regarding waste disposal, see section 13. |

SECTION 7: HANDLING AND STORAGE

| 7.1 Precautions for safe handling | | | |
|--|--|--|--|
| Advice on safe handling | No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. | | |
| Advice on protection against fire and explosion | Keep away from heat and sources of ignition. | | |
| Hygiene measures | Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). | | |
| 7.2 Conditions for safe storage | ge, including any incompatibilities | | |
| Requirements for storage areas and containers | Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost. | | |
| Suitable materials | HDPE (high density polyethylene) | | |
| 7.3 Specific end use(s) | Refer to the label and/or leaflet. | | |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|---|------------|--------------------|---------|----------|
| Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical CO2 (Redefined from Pyrethrins and Pyrethroids and Chrysanthemum cinerariaefolium, ext.) | 89997-63-7 | 1 mg/m3 (TWA) | 12 2011 | EH40 WEL |
| Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical CO2 | 89997-63-7 | 1 mg/m3 (TWA) | 12 2009 | EU ELV |



AQUAPY MICRO

Version 13 / GB 102000011789 7/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

| (Redefined from Pyrethrins and Pyrethroids and Chrysanthemum cinerariaefolium, ext.) | | | | |
|---|------------|------------------|------|-----------|
| Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical CO2 (Redefined from Pyrethrins and Pyrethroids and Chrysanthemum cinerariaefolium, ext.) | 89997-63-7 | 1 mg/m3 (TWA) | 2014 | EU SCOELS |
| Piperonyl butoxide | 51-03-6 | 50 ppm (TWA) | | OES BCS* |

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

| Respiratory protection | short duration activities, whe been taken to reduce expos | Id only be used to control residual risk of en all reasonably practicable steps have ure at source e.g. containment and/or ays follow respirator manufacturer's |
|--------------------------|---|--|
| Hand protection | breakthrough time which are Also take into consideration the product is used, such as contact time. Wash gloves when contamin inside, when perforated or w | ons regarding permeability and e provided by the supplier of the gloves. the specific local conditions under which s the danger of cuts, abrasion, and the nated. Dispose of when contaminated when contamination on the outside cannot equently and always before eating, he toilet. Nitrile rubber > 480 min > 0.4 mm Protective gloves complying with EN 374. |
| Eye protection | Wear goggles (conforming t | o EN166, Field of Use = 5 or equivalent). |
| Skin and body protection | Wear standard coveralls and | d Category 3 Type 6 suit. |



Version 13 / GB 102000011789

8/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| 9.1 Information on basic physical and chemical properties | | |
|---|--|--|
| Form | emulsion | |
| Colour | white to light yellow | |
| Odour | weak, characteristic | |
| Odour Threshold | No data available | |
| рН | <= 6.0 (100 %) (23 °C) | |
| Melting point/range | No data available | |
| Boiling Point | No data available | |
| Flash point | > 79 °C | |
| Flammability | No data available | |
| Auto-ignition temperature | No data available | |
| Minimum ignition energy | No data available | |
| Self-accelarating decomposition temperature (SADT) | No data available | |
| Upper explosion limit | No data available | |
| Lower explosion limit | No data available | |
| Vapour pressure | No data available | |
| Evaporation rate | No data available | |
| Relative vapour density | No data available | |
| Relative density | No data available | |
| Density | ca. 1.00 g/cm³ (20 °C) | |
| Water solubility | miscible | |
| Partition coefficient: n- octanol/water | Chrysanthemum cinerariaefolium, ext.: Pow: > 4 | |
| octanol/watch | Piperonyl butoxide: log Pow: 4.75 | |
| Particle size | <= 4 µm | |
| Particle size | <= 5 μm 20 °C | |



AQUAPY MICRO

Version 13 / GB 102000011789

9/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

| Viscosity, dynamic | <= 100 mPa.s (20 °C) Velocity gradient 7.5 /s |
|-----------------------|--|
| Viscosity, kinematic | No data available |
| Surface tension | 25.8 mN/m (25 °C) Determined in the undiluted form. |
| Oxidizing properties | No oxidizing properties |
| Explosivity | Not explosive |
| 9.2 Other information | Further safety related physical-chemical data are not known. |

SECTION 10: STABILITY AND REACTIVITY

| 10.1 Reactivity | |
|--|--|
| Thermal decomposition | Stable under normal conditions. |
| 10.2 Chemical stability | Stable under recommended storage conditions. |
| 10.3 Possibility of hazardous reactions | No hazardous reactions when stored and handled according to prescribed instructions. |
| 10.4 Conditions to avoid | Extremes of temperature and direct sunlight. |
| 10.5 Incompatible materials | Store only in the original container. |
| 10.6 Hazardous decomposition products | No decomposition products expected under normal conditions of use. |

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| Acute oral toxicity | LD50 (Rat) > 5,000 mg/kg |
|-----------------------------------|---|
| Acute inhalation toxicity | LC50 (Rat) > 1.64 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration. No deaths |
| Acute dermal toxicity | LD50 (Rat) > 5,000 mg/kg |
| Skin corrosion/irritation | No skin irritation (Rabbit) |
| Serious eye damage/eye irritation | No eye irritation (Rabbit) |
| Respiratory or skin sensitisation | Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA) |

Assessment STOT Specific target organ toxicity - single exposure



Version 13 / GB 102000011789

10/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

Chrysanthemum cinerariaefolium, ext.: This information is not available. Piperonyl butoxide: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Chrysanthemum cinerariaefolium, ext.: This information is not available. Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Chrysanthemum cinerariaefolium, ext. was not genotoxic in a battery of in vitro tests. Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Chrysanthemum cinerariaefolium, ext.: Based on available data, the classification criteria are not met. Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Chrysanthemum cinerariaefolium, ext.: Based on available data, the classification criteria are not met. Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Chrysanthemum cinerariaefolium, ext.: Based on available data, the classification criteria are not met. Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 12: ECOLOGICAL INFORMATION

| 12.1 Toxicity | | |
|--------------------------------------|---|--|
| Toxicity to fish | LC50 (Oncorhynchus mykiss (rainbow trout)) 0.244 mg/l Exposure time: 96 h | |
| Toxicity to aquatic invertebrates | EC50 (Daphnia magna (Water flea)) 0.216 mg/l Exposure time: 48 h | |
| Toxicity to aquatic plants | EC50 (Raphidocelis subcapitata (freshwater green alga)) 4.9 mg/l Exposure time: 72 h | |
| 12.2 Persistence and degradability | | |
| Biodegradability | Chrysanthemum cinerariaefolium, ext.: Not readily biodegradable. Piperonyl butoxide: Not rapidly biodegradable | |
| Кос | Piperonyl butoxide: Koc: 399 - 830 | |
| 12.3 Bioaccumulative potential | | |
| Bioaccumulation | Chrysanthemum cinerariaefolium, ext.: Bioconcentration factor (BCF) 471 | |



AQUAPY MICRO Versi

| AQUAPY MICRO Version 13/GB 102000011789 | | 11/14 Revision Date: 16.11.2020 Print Date: 17.11.2020 |
|---|--|---|
| | Piperonyl butoxide: Potential bioaccumulation | |
| 12.4 Mobility in soil | | |

| 12.4 MODINLY III 301 | |
|--------------------------------------|--|
| Mobility in soil | Chrysanthemum cinerariaefolium, ext.: Immobile in soil Piperonyl butoxide: Moderately mobile in soils |
| 12.5 Results of PBT and vPv | B assessment |
| PBT and vPvB assessment | Chrysanthemum cinerariaefolium, ext.: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Piperonyl butoxide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). |
| 12.6 Other adverse effects | |
| Additional ecological information | No other effects to be mentioned. |

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

| Product | In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK). |
|----------------------------------|--|
| Contaminated packaging | Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet. |
| Waste key for the unused product | 02 01 08* agrochemical waste containing hazardous substances |

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

| 14.1 UN number | 3082 |
|---------------------------------|---|
| 14.2 Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| | (PYRETHRINS SOLUTION) |
| 14.3 Transport hazard class(es) | 9 |
| 14.4 Packaging Group | III |
| 14.5 Environm. Hazardous Mark | YES |



AQUAPY MICRO

Version 13 / GB 102000011789

12/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

| Hazard no. | 90 |
|-------------|----|
| Tunnel Code | - |

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

| IMDG 14.1 UN number 14.2 Proper shipping name | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION) |
|---|---|
| 14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Marine pollutant | 9 III YES |
| IATA 14.1 UN number 14.2 Proper shipping name | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION) |
| 14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Environm. Hazardous Mark | 9 III YES |
| UK 'Carriage' Regulations | 0000 |
| 14.1 UN number 14.2 Proper shipping name | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION) |
| 14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Environm. Hazardous Mark Emergency action code | 9 III YES 3Z |

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)



Version 13 / GB 102000011789 13/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986 Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II Environmental Protection (Duty of Care) Regulations 1991 The Waste Management Licensing Regulations 1994 (as amended) Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94) Water Resources Act 1991 Anti-Pollution Works Regulations 1999

Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

| H301 | Toxic if swallowed. | |
|----------------------------|---|--|
| H302 | Harmful if swallowed. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H310 | Fatal in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H330 | Fatal if inhaled. | |
| H332 | Harmful if inhaled. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| Abbreviations and acronyms | | |
| <** Phrase does not | <** Phrase does not exist: ZCUST - X11.00000645 **> | |

exist: ZCUST -X11.0000064 5 **> ADN European Agreement concerning the International Carriage of Dangerous Goods by



AQUAPY MICRO

| Version | 13/ | GΒ |
|--------------|-----|----|
| 102000011789 | | |

14/14 Revision Date: 16.11.2020 Print Date: 17.11.2020

| CAS-Nr.Chemical Abstracts Service numberConc.ConcentrationEC-No.European community numberECxEffective concentration to x %EH40 WELWorker Exposure LimitEINECSEuropean inventory of existing commercial substancesELINCSEuropean list of notified chemical substancesENEuropean StandardEUEuropean UnionIATAInternational Air Transport AssociationIBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOLMARPOLNobserved effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited NationsWHOWorld health organisation | ADR | Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road |
|--|-----------|--|
| EC-No.European community numberECxEffective concentration to x %EH40 WELWorker Exposure LimitEINECSEuropean inventory of existing commercial substancesELINCSEuropean list of notified chemical substancesENEuropean StandardEUEuropean UnionIATAInternational Air Transport AssociationIBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICXInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | | |
| ECxEffective concentration to x %EH40 WELWorker Exposure LimitEINECSEuropean inventory of existing commercial substancesELINCSEuropean list of notified chemical substancesENEuropean StandardEUEuropean OnionIATAInternational Air Transport AssociationIBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | | |
| EH40 WELWorker Exposure LimitEINECSEuropean inventory of existing commercial substancesELINCSEuropean list of notified chemical substancesENEuropean StandardEUEuropean UnionIATAInternational Air Transport AssociationIBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | | |
| EINECSEuropean inventory of existing commercial substancesELINCSEuropean list of notified chemical substancesENEuropean StandardEUEuropean UnionIATAInternational Air Transport AssociationIBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo bserved effect concentration/levelQECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | - | Effective concentration to x % |
| ELINCSEuropean list of notified chemical substancesENEuropean StandardEUEuropean UnionIATAInternational Air Transport AssociationIBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelQECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | | |
| ENEuropean StandardEUEuropean UnionIATAInternational Air Transport AssociationIBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | | |
| EUEuropean UnionIATAInternational Air Transport AssociationIBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelQECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | | • |
| IATAInternational Air Transport AssociationIBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | | |
| IBCInternational Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | | • |
| Chemicals in Bulk (IBC Code)ICxInhibition concentration to x %IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | | |
| IMDGInternational Maritime Dangerous GoodsLCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | IBC | |
| LCxLethal concentration to x %LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | ICx | Inhibition concentration to x % |
| LDxLethal dose to x %LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | IMDG | International Maritime Dangerous Goods |
| LOEC/LOELLowest observed effect concentration/levelMARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | LCx | Lethal concentration to x % |
| MARPOLMARPOL: International Convention for the prevention of marine pollution from shipsN.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | LDx | Lethal dose to x % |
| N.O.S.Not otherwise specifiedNOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | LOEC/LOEL | Lowest observed effect concentration/level |
| NOEC/NOELNo observed effect concentration/levelOECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | MARPOL | MARPOL: International Convention for the prevention of marine pollution from ships |
| OECDOrganization for Economic Co-operation and DevelopmentRIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | N.O.S. | Not otherwise specified |
| RIDRegulations concerning the International Carriage of Dangerous Goods by RailSIStatutory InstrumentTWATime weighted averageUNUnited Nations | NOEC/NOEL | No observed effect concentration/level |
| SIStatutory InstrumentTWATime weighted averageUNUnited Nations | OECD | |
| TWATime weighted averageUNUnited Nations | | |
| UN United Nations | SI | • |
| | | • • |
| WHO World health organisation | | |
| | WHO | World health organisation |

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision:

Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.