

DIRECTIONS FOR USE

- Dilute 25ml of Cypermethrin 10% EC in 5 litres of water (1 litre to 200 litres of water).
- Mix thoroughly and then apply at the rate of 5 litres diluted fluid per 100m² of surface.
- Agitate mixture frequently during the spraying process. If spraying is interrupted for more than 15 minutes, mix thoroughly again before re-commencing spraying.

SPRAYING EQUIPMENT

Only to be used with high volume sprayer capable of producing a coarse spray, e.g. 5 litres pneumatic sprayer.
For treatment of exposed surfaces a flat fan nozzle should be used.
For treatment of cracks and crevices a pin-stream nozzle or crack and crevice extension would be suitable.

PRECAUTIONS

- WASH SPLASHES from skin or eyes immediately.
- WASH HANDS AND EXPOSED SKIN before meals and after use.
- Keep only in the original container. Keep container tightly closed. KEEP IN A SAFE PLACE.
- Keep out of the reach of children.
- Keep away from heat/sparks/open flames/hot surfaces – No smoking
- Keep away from food, drink and animal feeding stuffs.
- Do not use, store or spill near open flame or electric fire.
- Protect from frost.
- When not in use, store upright with cap tightly screwed on.
- Use biocides safely. Always read the label and product information before use.
- Read safety data sheet before using this product.
- Wear protective gloves/protective clothing/eye protection/face protection
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Store in a well ventilated place. Keep cool

HAZARD CLASSIFICATION:

MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

FLAMMABLE LIQUID AND VAPOUR

TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed.
HSE No. 3136

Use only in accordance with the directions on this label.
To avoid risk to man and the environment, comply with the instructions for use.

DANGER



Killgerm Chemicals Ltd., Wakefield Road, Ossett, West Yorkshire, WF5 9AJ
t 01924 268400 f 01924 264757 e info@killgerm.com www.killgerm.com

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may Apply to the use of this product at work.

FOR USE ONLY BY PROFESSIONAL OPERATORS.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing, gloves and eye/face protection.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.

Do not breathe spray. Otherwise wear respiratory protective equipment and eye protection (see HSE GuidanceBooklet

HS(G)53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - a practical guide").

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. COVER WATER STORAGE TANKS before application.

This material and its container must be disposed of in a safe way.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

Do not contaminate waterbodies or watercourses with chemicals or used container.

AVOID ALL CONTACT WITH PLANT LIFE.

DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container label.

READ ALL PRECAUTIONS BEFORE USE HSE No.: 3136

USING THE DISPENSING CONTAINER

1. Loosen the cap on the calibrated dispensing chamber.
2. Gently squeeze the 500ml bottle to fill the chamber to the required volume, then release pressure on the bottle.
3. Remove the chamber cap and pour the measured liquid into the diluting vessel.
4. Repeat the procedure for the multiple chamber - volume requirements.
5. After dispensing, replace and tighten the chamber cap.

Killgerm[®]
www.killgerm.com



Killgerm[®]
www.killgerm.com

CYPERMETHRIN 10% EC

CONTAINS: CYPERMETHRIN 7.49% W/W (70 g/l)

An insecticide for professional use against flying and crawling insects such as flies, mosquitoes, cockroaches, fleas, beetles and ants. For use in domestic situations and public hygiene areas including food handling premises, markets, slaughterhouses, latrines and refuse tips.

Contents: 500ml

Batch No: See Separate Sticker