



K-Obiol[®] EC25



INSECTICIDE

- ✓ Liquid Grain Protectant for the control of stored product pests
- ✓ Fabric of the building treatment
- ✓ No with-holding period
- ✓ Admixture
- ✓ Pyrethroid formulation

An emulsion concentrate (EC) formulation containing 25 g/litre Deltamethrin, 225 g/litre Piperonyl butoxide and solvent naphtha.

Safety Information

K-OBIOI[®] EC25

Contains 25 g/l Deltamethrin, 225 g/l Piperonyl butoxide and solvent naphtha.




Danger

Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes serious eye damage. Harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects. Ground/bond container and receiving equipment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTER or doctor/physician. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste. Repeated exposure may cause skin dryness or cracking. **To avoid risks to human health and the environment, comply with the instructions for use.**

MAPP 13573, PCS No 03641

1Le



Important Information:

FOR PROFESSIONAL USE ONLY

FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE IN FOOD STORAGE PRACTICE

Crops/situations:

For use on stored grain and pulses, crop handling equipment and storage structures.

Maximum individual dose:

Direct admixture with grain: 1 litre to 100 tonnes of grain/pulses.
Crop handling equipment and storage structure: 60 ml per 100 m²

Maximum number of treatments:

Crop handling equipment and storage structure: One per annum
Complete admixture for grains, pulses: One per batch

Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Follow the code of practice for using plant protection products.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work (UK Only).

RA3a - K-Obiol EC25 - 1 L - GB
GB79098006J - ARTICLE 79116187

Bayer

K-Obiol[®] EC25 is a registered trademark of Bayer CropScience Ltd.

Batch number : See on the pack

Authorisation holder:
Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge CB4 0WB

From the UK and the Republic of Ireland:
0800 1214 9451

For 24 hour emergency information contact Bayer CropScience Limited.
From the UK: 0800 220876,
From Republic of Ireland: Freephone:1800409399

www.environmentalscience.bayer.co.uk
for SDS and larger label.

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES, FACE PROTECTION (FACESHIELD) when handling the concentrate.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES, FACE PROTECTION (FACESHIELD) AND SUITABLE RESPIRATORY PROTECTIVE EQUIPMENT* when applying by hand-held equipment.

*Half-mask to at least EN 140 with a combination filter to at least EN141 A1P2 or equivalent.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection - UK only.

TAKE OFF IMMEDIATELY all contaminated clothing.

WASH CONCENTRATE from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after work.

IF YOU FEEL UNWELL, seek medical advice immediately (show label where possible).

WHEN USING DO NOT EAT, DRINK OR SMOKE.

DO NOT BREATHE SPRAY.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or its label.

Environmental Protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Use appropriate containment to avoid environmental contamination.

Storage and Disposal

KEEP OUT OF REACH OF CHILDREN.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing 3 times. Add washings to the sprayer at the time of filling and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

Safety Information

K-OBIOI[®] EC25

Contains 25 g/l Deltamethrin, 225 g/l Piperonyl butoxide and solvent naphtha.



Danger

Flammable liquid and vapour.

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes serious eye damage.

Harmful if inhaled.

May cause respiratory irritation.

May cause drowsiness or dizziness.

Very toxic to aquatic life with long lasting effects.

Ground/bond container and receiving equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Call a POISON CENTER or doctor/physician.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

Repeated exposure may cause skin dryness or cracking.

To avoid risks to human health and the environment, comply with the instructions for use.

MAPP 13573, PCS No 03641

Important Information:

FOR PROFESSIONAL USE ONLY

FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE IN FOOD STORAGE PRACTICE

Crops/situations:

For use on stored grain and pulses, crop handling equipment and storage structures.

Maximum individual dose:

Direct admixture with grain: 1 litre to 100 tonnes of grain/pulses.

Crop handling equipment and storage structure: 60 ml per 100 m²Maximum number of treatments:

Crop handling equipment and storage structure: One per annum

Complete admixture for grains, pulses: One per batch

Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Follow the code of practice for using plant protection products.**DIRECTIONS FOR USE**

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

PESTS CONTROLLED:

K-Obiol® EC25 is a liquid grain protectant for the fabric of building and admixtures for the control of stored product pest including crawling insects such as grain weevils (*Sitophilus granarius*), flour beetles (*Tribolium castaneum*), grain borers (*Rhyzopertha dominica*), sawtoothed grain beetles (*Oryzaephilus surinamensis*) and bean weevils (*Acanthoscelides obtectus*) and flying insects such as warehouse moths (*Euphestia cautella*), rice moths (*Corcyra cephalonica*), Indian meal moths (*Plodia interpunctella*) and grain moths (*Sitotroga cerealella*).

APPLICATION:

The residual life of the treatment depends on the type of application and the surface.

Complete direct admixture with grain and pulses

K-Obiol® EC25 is diluted with water and applied using low-pressure nozzles situated over the conveying machinery, as near to the final storage place as possible. The application rate should be adjusted to apply 1 litre of solution per tonne of grain/pulses. Dilute 1 part K-Obiol® EC25 with 99 parts water (1 litre of concentrate to 99 litres of water treats 100 tonnes of grain/pulses) to provide up to 12 months protection against listed crawling insects and up to 3 months against listed flying insects i.e. moths.

Treatment of grain storage buildings/equipment

There is no waiting period between treatment and use of buildings/equipment. However, for maximum efficacy treatments should be applied to a previously cleaned store, 3 to 4 weeks before filling. The store should be thoroughly swept or vacuumed to remove all loose fragments and previous stored crop waste that could shelter pests. This debris must be burned or disposed of well away from the building. Guidance on cleaning of grain stores can be obtained from the 'The grain storage guide' published by the Home-Grown Cereals Authority (HGCA). The performance may be impaired on concrete surfaces.

Use a knapsack sprayer equipped with a low pressure nozzle producing a medium to coarse spray.

Absorbent surfaces (e.g.unsealed wood and concrete) - Add 20 to 30 ml of K-Obiol® EC25 to each 5 litres of water. Spray at a rate of 5 litres of solution per 50 sq metres.

Non-porous surfaces (e.g. metal, sealed wood, sealed concrete) - Add 40 to 60 of K-Obiol® EC25 to each 5 litres of water. Spray at a rate of 5 litres of solution per 100 sq metres.

The treatment provides 2 month protection.

RESISTANCE

Where strains resistant to deltamethrin occur or develop, effective control will not be achieved.

COMPANY ADVISORY INFORMATION

For maximum efficacy when applying as a direct admixture to grains or pulses, follow 'The grain storage guide' published by the Home-Grown Cereals Authority (HGCA), the moisture content should be below 14.5% and the temperature below 12°C before admixture and during storage.

Storage of grain with a higher moisture content will reduce the efficacy of the treatment.



K-Obiol® EC25



INSECTICIDE

- ✓ Liquid Grain Protectant for the control of stored product pests
- ✓ Fabric of the building treatment
- ✓ No with-holding period
- ✓ Admixture
- ✓ Pyrethroid formulation

An emulsion concentrate (EC) formulation containing 25 g/litre Deltamethrin, 225 g/litre Piperonyl butoxide and solvent naphtha.

Safety Information

K-OBIOI® EC25

Contains 25 g/l Deltamethrin, 225 g/l Piperonyl butoxide and solvent naphtha.




Danger

Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes serious eye damage. Harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects. Ground/bond container and receiving equipment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTER or doctor/physician. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste. Repeated exposure may cause skin dryness or cracking. **To avoid risks to human health and the environment, comply with the instructions for use.**

MAPP 13573, PCS No 03641

1Le



Important Information:

FOR PROFESSIONAL USE ONLY

FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE IN FOOD STORAGE PRACTICE

Crops/situations:

For use on stored grain and pulses, crop handling equipment and storage structures.

Maximum individual dose:

Direct admixture with grain: 1 litre to 100 tonnes of grain/pulses.
Crop handling equipment and storage structure: 60 ml per 100 m²

Maximum number of treatments:

Crop handling equipment and storage structure: One per annum
Complete admixture for grains, pulses: One per batch

Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Follow the code of practice for using plant protection products.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work (UK Only).

RA3a - K-Obiol EC25 - 1 L - GB
GB79098006J - ARTICLE 79116187

Bayer

K-Obiol® EC25 is a registered trademark of Bayer CropScience Ltd.

Batch number : See on the pack

Authorisation holder:

Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge CB4 0WB

From the UK and the Republic of Ireland:
0800 1214 9451

For 24 hour emergency information contact Bayer CropScience Limited.
From the UK: 0800 220876,
From Republic of Ireland: Freephone:1800409399

www.environmentalscience.bayer.co.uk
for SDS and larger label.



K-Obiol[®]
EC25



INSECTICIDE

- ✓ Liquid Grain Protectant for the control of stored product pests
- ✓ Fabric of the building treatment
- ✓ No with-holding period
- ✓ Admixture
- ✓ Pyrethroid formulation

Liquid grain protectant



An emulsion concentrate (EC) formulation containing 25 g/litre Deltamethrin, 225 g/litre Piperonyl butoxide and solvent naphtha.

12 x 1Le



K-Obiol[®]
EC25



INSECTICIDE

- ✓ Liquid Grain Protectant for the control of stored product pests
- ✓ Fabric of the building treatment
- ✓ No with-holding period
- ✓ Admixture
- ✓ Pyrethroid formulation

Liquid grain protectant



An emulsion concentrate (EC) formulation containing 25 g/litre Deltamethrin, 225 g/litre Piperonyl butoxide and solvent naphtha.

12 x 1Le

ARTICLE 79116187

Safety Information
K-OBIOI[®] EC25
Contains 25 g/l Deltamethrin, 225 g/l Piperonyl butoxide and solvent naphtha.



Danger

Flammable liquid and vapour.
Harmful if swallowed.
May be fatal if swallowed and enters airways.
Causes serious eye damage.
Harmful if inhaled.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Very toxic to aquatic life with long lasting effects.
Ground/bond container and receiving equipment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Call a POISON CENTER or doctor/physician.
Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.
Repeated exposure may cause skin dryness or cracking.
To avoid risks to human health and the environment, comply with the instructions for use.
MAPP 13573, PCS No 03641

Important Information:
FOR PROFESSIONAL USE ONLY
FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE IN FOOD STORAGE PRACTICE
Crops/situations:
For use on stored grain and pulses, crop handling equipment and storage structures.
Maximum individual dose:
Direct admixture with grain: 1 litre to 100 tonnes of grain/pulses.
Crop handling equipment and storage structure: 60 ml per 100 m²
Maximum number of treatments:
Crop handling equipment and storage structure: One per annum
Complete admixture for grains, pulses: One per batch
Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Follow the code of practice for using plant protection products.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work (UK Only).

K-Obiol[®] EC25 is a registered trademark of Bayer CropScience Ltd.

Bayer

Batch number : See on the pack

Authorisation holder:
Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge CB4 0WB
From the UK and the Republic of Ireland:
00800 1214 9451

For 24 hour emergency information contact Bayer CropScience Limited.
From the UK: 0800 220876,
From Republic of Ireland: Freephone:1800409399

www.environmentalscience.bayer.co.uk
for SDS and larger label.