according to Regulation (EC) No 1907/2006

prepared: 14.06.2016 revised: 31.05.2017 Valid from: 01.06.2017





# Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier:

NARA SPRAY-MEAT Flavour Trade name/designation:

Other means of identification: -

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identifies uses:-

Uses advised against:-

## 1.3 Details of the suppliers of this safety data sheet

Futura GmbH Vertriebsgesellschaft

### **Adress**

Rudolf-Diesel-Strasse 35

# **Post Code / Country**

D-33178 Borchen

# 1.4 Emergency telephone number

+49 (0) 5251/ 69161-79

### **Section 2: Hazard Idintifiaction**

# Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008:

H222 Flam. Aerosol 1 H229

### 2.2 Label elements

### Labeling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP Regulation

Hazard pictogram:



GHS02

Signal word: hazard

**Hazard Statements:** 

H222: Extremely flammable aerosol

H229 Pressurised container: May burst if heated.

page: 1 / 8

according to Regulation (EC) No 1907/2006

 prepared:
 14.06.2016

 revised:
 31.05.2017

 Valid from:
 01.06.2017





### **Precautionary statements:**

P210: Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P211: Do not spray on an open flame or other ignition source.
P251: Pressurized container: Do not pierce or burn, even after use.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P410 + P412: Protect from sunlight. Do not expose to temperatures exceeding 50 oC/122oF.

#### **Additional labeling**

Shake well before use. Store and process at room temperature.

Restricted to professional users.

### 2.3 Other hazards:

none

### Section 3: Composition / information on igredients

Chemical characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions

n- Butan	15-30%	CAS No:	106-97-8
		EINECS:	203-448-7
		REACH classification No:	Annex V
		CLP Classification:	H220 Flam. Gas 1
Propan	5-15 %	CAS No:	74-98-6
		EINECS:	200-827-9
		REACH classification No:	Annex V
		CLP Classification:	H220 Flam. Gas 1

(For the full text of the risk phrases refer to Section 16)

# **Section 4: First aid measures**

### 4.1 Description of first aid measures

### **General information:**

In Case of serious or permanent disorder, seek medical advice asap

#### **Following inhalation:**

Sit upright, take to the fresh air, look calm and get to the hospital immediately

### **Following skin contact:**

Rinse first with plenty of water, then if necessary seek medical attention

### Following eye contact:

First flush eyes several minutes under running water with the eyelid wide open, (remove contact linses if this is easily possible), afterwards seek medical advice.

### Following ingestion:

Rinse mouth, do not induce vomiting and get to the hospital immediately

### 4.2 Most important symptoms and effects, both acute and delayed

**Skin contact:** none **Eye contact:** eye redness

ingestion: Diarrhea, headache, abdominal cramps, fatigue, vomiting

inhalation:none

according to Regulation (EC) No 1907/2006

 prepared:
 14.06.2016

 revised:
 31.05.2017

 Valid from:
 01.06.2017





# 4.3 Indication of any immediate medical attention and special treatment needed

No relevant information available

### **Section 5: Firefighting masures**

### 5.1 Extinguishing media:

CO2, powder, foam or water spray.

# 5.2 Special hazards arising from the substance or mixture:

none

### 5.3 Advice for fire fighters

Extinguished media to be avoided: none

### **Section 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Do not walk on spilled substances or touch and avoid inhalation of fumes, smoke, dust and vapors by staying on the windward side. Take off contaminated clothing and used contaminated protective equipment and dispose of safely

## **6.2 Environmental precautions**

Do not discharge into the subsoil / soil

# 6.3 Methods and material for containment and cleaning up

Absorb with absorbent material

### 6.4 Reference to other sections

For further information see section 8 and 13

## **Section 7: Handling and storage**

## 7.1 Protective measure

Treat gently to avoid spillage

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-closed container in a closed, frost-free and ventilated room

#### 7.3 Specific end uses

"

according to Regulation (EC) No 1907/2006

 prepared:
 14.06.2016

 revised:
 31.05.2017

 Valid from:
 01.06.2017





### Section 8: Exposure controls / personal protection

# 8.1 Control parameters

The following is a list of hazardous components listed in section 3, of which the TLV Value is known

n – Butan (<0,01% Butadien -1,3)		
	1,928 mg/m <sup>3</sup>	
Duaman		
Propan		
	1800mg/m <sup>3</sup>	

### 8.2 Exposure control

## **Respiratory protection:**

Unnecessary

For exposure with irritation risk use gas masks of type ABEK. Possibly use with adequate exhaust ventilation.

### **Hand protection:**

Use with Nitrile gloves. Penetration time of glove material > 480 min / 0,35mm thickness according to EN 347

Control gloves before use precisely. Undress gloves carefully without touching the outer sides with the bare hand. The suitability for a specific workplace should be discussed with the manufacturer of protective gloves. Wash and dry your hands



### **Eye protection:**

Keep eye wash bottle in reach. Wear tightly fitting protective goggles. In case of extraordinary processing problems, wear a face mask and protective suit.



# **General safety and hygiene measures:**

Impervious clothing

The type of protective equipment will depend on the concentration and quantity of dangerous substances at the workplace



### **Section 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance / 20 ° C: liquid

Smell: charakteristic
Odor threshold: Not applicable

page: 4 / 8

### according to Regulation (EC) No 1907/2006

 prepared:
 14.06.2016

 revised:
 31.05.2017

 Valid from:
 01.06.2017





pH-value: /

Vapor pressure / 20°C 853000 Pa Melting point: Not determined

Boiling point: -42°C (applies for propellant)

Flash point : -/

Ignition temperature: Not determind

Auto ignition: /

Danger of explosion: Risk of bursting at temperatures> 50 ° C. Damage of the container

Formation of explosive gas or vapor / air mixture.

Explosion limits:

Lower: 1,5 Vol. % upper: 8,5 Vol. % pressure (20°C): 2,0-4,0 bar Density at 20°C: approx. 0,790 Kg/L

Solubilizy in /miscibility with water Not miscible

Viscosity:

Dynamic: 50 mPa\*s Kinematic: 63 mm²/s

Solvent content:

Organic solvents: 0,0%

VOC: 30,46% = 216,888 g/L

# **9.2** Other information: No further relevant information available

Further information: Vapors are heavier than air

# **Section 10: Stability and reactivity**

### 10.1 Reactivity

Stable at normal circumstances

#### 10.2 Chemical stability

Stable at normal circumstances

### 10.3 Possibility of hazardous reactions

none

## 10.4 Conditions to avoid

Protect from sunlight and temperatures above +50°C

## **10.5 Incompatible materials**

Do not store near sources of ignition

# 10.6 Hazardous decomposition products

No dangerous decomposition products known

### **Section 11: Toxicological information**

### 11.1 Information on toxicological effects

From the preparation itself: no additional information available

page: 5 / 8

according to Regulation (EC) No 1907/2006

 prepared:
 14.06.2016

 revised:
 31.05.2017

 Valid from:
 01.06.2017





# n- Butan (<0,01%, Butadien -1,3)

 $\begin{array}{lll} \text{Oral} & \text{LD50} & \geq 5,0 \text{ mg/Kg (rat)} \\ \text{dermal} & \text{LD50} & \geq 5,0 \text{ mg/Kg (rabbit)} \\ \text{Inhalativ} & \text{LC50/4h} & \geq 50 \text{ mg/l (rat)} \\ \end{array}$ 

74-98-6 Propan

**Primary irritation:** 

On the skin: no irritant effect On the eye: no irritant effect

**Sensitization:** No sensitizing effect known

NARA Spray does not contain any allergens and is completely non-toxic.\*

# **Section 12: Ecological information**

### 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potentail

n-Butan (<0,01% Butadien-1,3) log Pow: 2,890

### 12.4 Mobility in soil

Water hazard class, WHC: 1 Water solubility: insoluble

# 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

No data available

### **Section 13: Disposal considertions**

# 13.1 Waste treatment methods

Do not empty into drains. Disposal must be carried out by an approved service provider. Any restrictions imposed by local authorities must always be observed

# **Section 14: Transport information**

according to Regulation (EC) No 1907/2006

 prepared:
 14.06.2016

 revised:
 31.05.2017

 Valid from:
 01.06.2017

**Version:** 6\* replaces version: 5



### 14.1 UN-Number

UN1950

### 14.2UN shipping name

UN 1950 AEROSOLS, flammable, 5F, (D)

14.3 Transport hazard classes

Additional information

hazardous characteristics Fire. Explosion. Encapsulations may burst under heat

Search for protection. Do not stay in low-lying areas. Keep away from

sources of ignition



14.4 Packing group ADR, IMDG, IATA

eliminates

#### 14.5 Environmental hazards

Not dangerous for the environment

14.6 Special precautions for user: Warning: Gases

Kemler-Number -

**EMS-Number** F-D, S-U

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

**Transport/further information:** 

**ADR** 

**Limited Quantity (LQ)** 11 **Tunnel restriction code** D

In accordance transport as limited quantity. 3.4 ADR:

Marking: diamond "limited quantity"

**Remark:** Endorsement in transportation paper: transport according to Chapter 3.4

ADR

UN "Model Regulation"

Tremcard: not prescribed UN1950m AEROSOLS, 2.1

### **Section 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislations for the substance or mixture

Water hazard class:

Volatile organic compounds (VOC)), 30,458 % Volatile organic compounds (VOC)), 216,888 g/l

Safety, health and environmental

**regulations/legislations for the** aliphatic hydrocarbons > 30%

substance or mixture


# 15.2 Chemical Safety Assessment

For this substance a chemical safety assessment is not required.

page: 7 / 8

according to Regulation (EC) No 1907/2006

14.06.2016 prepared: revised: 31.05.2017 Valid from: 01.06.2017





# **Section16: Other information**

## Relevant phrases

**ADR** 

H220 flam. Gas 1 Extremely flammable gas. H222 flam. Aerosol 1 Extremely flammable aerosol

H229 Contains gas under pressure; may explode if heated.

## **Abbreviations and acronyms:**

RID Reglement concernant le transport international ferroviaire de marchandises Dangereuses

**ICAO** International civil aviation Organisiation

Accord européen relatif au transport international des marchandises Dangereuses par Route,

German European Agreement concerning the International Carriage of Dangerous Goods by

**IMDG** International Maritim Code for Dangerous Goods

IATA **International Air Transport Assocciation** 

**GHS** Globally Harmonised System of classification and Labelling of Chemicals **EINECS** 

European Inventory of Existing Commercial Chemical Substances

European List of Notified Chemical Substances **ELINCS** 

CAS Chemical Abstracts Service

VOC Volatile Organic Compounds (USA, EU) LC50 Lethal concentration, 50 percent

LD50 Lethal dose, 50 percent

Flam. Gas 1 Flammable gases, Hazard Category 1 Flam. Aerosol 1 Flammable aerosols, Hazard Category 1 Gases under pressure: Compressed gas Press. Gas C Gases under pressure: Liquefied gas Press. Gas L

WHC Water hazard class WHC 1 Low hazardous to water

### Futher information \*

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 2015/830. Classification has been calculated in accordance with regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application, the user must carry out a material suitability and safety study himself.

page: 8 / 8

<sup>\*</sup>Changed data in comparison to the previous version.