



PX-MURO

ACTIVE INGREDIENTS: DIDECYLDIMETHYLAMMONIUM CHLORIDE 17.48G/ KG ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE 17.48G/ KG N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE 14.99G/KG

The product is used to control the disease organisms associated with pest rodents (rats and mice). It is intended for use by pest control operators or other competent users who might come into contact with rodent droppings, urine, nesting materials, carcasses, or those who might work in areas where rodents are active.

Contents: 5 Litre
Batch No: See Separate Sticker

Label Ref: AUG 2023

PX-Muro will kill those bacteria, fungi and viral organisms identified as being associated with diseases transferred by pest rodents to humans and animals. Rodents are implicated in the transfer of a number of pathogenic microorganisms including, E. coli, Salmonella spp and Hantavirus. PX-Muro will help protect workers who are involved in clean-up operations to remove rodent contamination. Disinfection with PX-Muro in areas of rodent activity protects the health and safety of humans and animals, by reducing the risk of contracting rodent-borne diseases.

DIRECTIONS FOR USE As a biocide on surfaces: Use a 1:100 dilution of the product in clean water ie. dilute 10ml with 1 litre of water and mop, wipe or spray over the surfaces using a 5 litre pneumatic sprayer fitted with a flat fan nozzle. This solution may be used on areas where rodents are or were active as a preventative measure to protect workers operating on such surfaces.

Removing rodent contamination: Use a 1:10 dilution of the product in clean water and spray over the droppings and contaminated areas prior to the commencement of clean up operations. During the cleaning operation spray the solution on to droppings and the surrounding area to keep down dust and kill organisms. Use 1:10 dilution to treat dead rodents and as a final spray on clean surfaces. Allow a 10 minute minimum contact time of the biocide solution with surfaces and materials. The treatment of rodent carcasses and dropping is a risk mitigation measure reducing the likely hood of these to cause disease.

Dilution rates	
Bacteria- 1% (1:100) clean 5 mins contact time, 2% (1:50) dirty 5 mins	
Yeast- 1% (1:100) clean 5 mins contact time, 4% (1:25) dirty 10 mins contact time	
Fungi- 10% (1:10) clean 30mins contact time	
Viruses (non-enveloped)- 2% (1:50) clean 30mins contact time, 10% (1:10) clean 5 mins contact time	
Viruses (enveloped)- 1% (1:100) clean 5 mins contact time	

APPLICATION NOTES

- Apply dilute solutions by mop, sprayer, cloth etc. When spraying aim to apply the solution until surfaces are thoroughly wetted but before run-off occurs.
- Dilute solutions should be freshly and accurately prepared in clean containers using clean water.
- The product can be diluted into trigger-sprays for use on all hard surfaces including glass work.
- The product is not aggressively corrosive to materials but care should be taken to prevent gross run-off from applications to building and other structured surfaces. Avoid run-off impinging on passers-by, vehicles, walkway surfaces, fabrics, other materials, ponds, gardens, etc

Warnings:

DANGER
Causes skin irritation.
Causes serious eye damage.
Very toxic to aquatic life with long lasting effects.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a **POISON CENTER** or doctor/physician.

Wash contaminated skin thoroughly after handling.

IF ON SKIN: Wash with plenty of soap and water. Dispose of contents/container in accordance with national regulations.

Ingredients:

Active ingredients: Didecyldimethylammonium Chloride 17.48g/Kg Alkyl (C12-16) Dimethylbenzyl Ammonium Chloride 17.48g/Kg N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine 14.99g/Kg Contains Limonene.

Hazard symbols:



- SL Soluble Concentrate
- Dispose of unused product as hazardous waste recommended EWC code 20 01 29. Any empty containers should be disposed of as contaminated packaging recommended EWC code 15 01 10.
- See sticker for batch number & expiry date
- For professional use only

UFI: G600-604U-100K-SFF6

Killgerm Chemicals Limited
Wakefield Road, Ossett
West Yorkshire
WF5 9AJ
t +44 (0) 1924 268400
e info@killgerm.com
www.killgerm.com