

A liquid disinfectant for use in dog kennels, inside dog-warden vehicles carrying disease-risk animals, catteries, stables, zoos, pet shops, poultry houses, pigeon lofts and similar situations. The product is also suitable for general cleaning and disinfecting of hard surfaces and equipment. Effective against distemper, parvo virus and other infective organisms. It is effective against a wide range of micro-organisms:- viruses, bacteria, fungi, yeasts and moulds.

The product is recommended for use in dealing with blood, and other spilled body fluids to control blood borne viruses including HIV, non-enveloped viruses and human enteroviruses. It is also effective against tuberculosis, MRSA (Methicillin resistant Staphylococcus Aureus), E.coli, Salmonella spp, Clostridium difficile and Norovirus.

DIRECTIONS FOR USE

In dog kennels, dog warden vehicles, catteries, stables, etc., use a 1:50 dilution of the product in clean water, i.e. dilute 100ml with 5 litres of water and mop or wipe over the inner surfaces. Allow at least 5 minutes of contact time then wipe up any excess liquid with a cloth. Regular use of the product in vehicles will help prevent the spread of infectious diseases.

Use the 1:50 dilution rate for treating any lightly soiled or dirty surfaces or equipment.

Use a 1:10 dilution, i.e. 500ml to 5 litres of water where a diseased animal has been carried in the van or where blood or other organic matter is present.

In other situations and for general disinfection and cleaning, dilute the product 1:100, i.e. 50ml to 5 litres of clean water and apply by mop, sprayer, cloth, etc.

APPLICATION NOTES

- Apply dilute solutions by mop, sprayer, cloth etc. When spraying aim to apply the solution until surfaces are thoroughly wetted but before run-off occurs.
- Dilute solutions should be freshly and accurately prepared in clean containers using clean water. Grossly contaminated surfaces should be cleaned if possible prior to disinfectant treatment.
- There is no need to rinse treated surfaces on which animals will

subsequently tread, providing the product has been used as directed.

- The product can be diluted into trigger-sprays for use on all hard surfaces including glass work.
- The product is not aggressively corrosive to materials but care should be taken to prevent gross run-off from applications to building and other structured surfaces. Avoid run-off impinging on passers-by, vehicles, walkway surfaces, fabrics, other materials, ponds, gardens, etc.

HAZARD CLASSIFICATION:

Causes severe skin burns and eye damage.
Harmful to aquatic life with long lasting effects.

PRECAUTIONARY PHRASES

Avoid release into the environment.
Wear eye protection, protective gloves.
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. Store locked up. Wash hands thoroughly after handling. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Contains; Benzalkonium chloride, Chlorhexidine digluconate, Didecyltrimethylammonium chloride, N-(3-aminopropyl)-N-dodecylpropane 1,3 diame

FIRST AID, SPILLAGE, DISPOSAL AND PPE ADVICE

Please see Safety Data Sheet.

USE BIOCIDES SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE

PCS NO. 94725



DANGER

Killgerm Chemicals Ltd., Wakefield Road, Ossett, West Yorkshire, WF5 9AJ
t 01924 268400 e info@killgerm.com www.killgerm.com


Killgerm®
www.killgerm.com


Killgerm®
www.killgerm.com

PX-PARVO

CONTAINS CHLORHEXIDINE AND QAC'S (<7.5%W/V)

A liquid biocide effective against bacteria, viruses and fungi. Specially formulated for use in dog warden vehicles, kennels and pounds and on other surfaces in situations where biohazard risk has been identified. Dilution 1:50

Contents: 1 Litre

Batch No: See Separate Sticker