



PX VIRIBUS™

ADVANCED FORMULA | SUPERIOR CLEANING

Biologically enhanced cleaning formula
to naturally remove organic debris

Contents: 5 Litre

Label Ref: 11/17
Batch No: See separate labels

Killgerm Chemicals Limited
Wakefield Road, Ossett
West Yorkshire
WF5 9AJ
t +44 (0) 1924 268400
e info@killgerm.com
www.killgerm.com

SUPERIOR RESULTS

SYNERGISED BACTERIAL BLEND TO EFFECTIVELY REMOVE ORGANIC BUILD-UPS, SUCH AS GREASES, FATS, OILS, CARBOHYDRATES & PROTEINS.

THICKENED FORMULATION SPECIFICALLY DESIGNED FOR OPTIMUM SURFACE CLING.

READY-TO-USE WITH EXTRA-LONG SHELF LIFE.

BIO-DEGRADABLE, NON-PATHOGENIC, NON-TOXIC, NON-CAUSTIC, AND NON-CORROSIVE.

REDUCES FOUL ODOURS, IMPROVES DRAIN FLOW AND IS GENTLE ON ALL DRAIN LINES.

FRESH CITRUS SCENT.

DIRECTIONS FOR USE

Shake well before using.

For use in and around Commercial, Industrial, Marine, Shipping, Medical and Residential buildings such as: garages, schools, meat packing facilities, food processing facilities, nursing homes, mortuaries, offices, supermarkets, restaurants, convenience stores, apartment complexes, transportation terminals, boat/ships, cruise liners, tankers, cargo vessels and many more facilities.

Can be used in and around food and non-food areas such as: commercial and domestic waste bins, drain pipes, outside drains, statuaries, compactors, overflow pipes, grease traps, loading docks, marine drains, deck drains, scuppers, rendering vats, lift shafts, lift stations, channel and trench drains, waterless toilets, showers, ceramic tile floors, and many more areas.

DRAINS: For best results, initially flush drain with 10 litres of warm water. Product should be applied at the end of the workday or any other time when the drain will be inactive.

Drains with heavy organic build-up should be scrubbed or steamed out to remove heavy debris prior to initial application.

Initial Treatment: Depending on conditions, apply 100-250ml of Viribus™ per drain to establish adequate bacterial colonies throughout the drain line. Liberally coat the surrounding areas including grout expansion joints and grade plates. Be certain to coat the interior circumference of the drain.

General Maintenance: Apply 100ml of Viribus™ per drain per week.

SURFACE AREA TREATMENT: Viribus™ is designed to be tank mixed for direct application to commercial and domestic waste bins, dumb waiters, rubbish chutes, and statuaries. Mix at a rate of 150-250ml of Viribus™ per 5 litres and apply with a low-pressure hand sprayer, power sprayer or mop bucket. Completely cover the target area.

DO NOT PERMIT FOOT TRAFFIC ON THE TREATED AREA UNTIL COMPLETELY DRY.

Foam: mix 1:1 Viribus™ to water. A foaming sprayer is required.

For additional foam thickness, increase the amount of Viribus™.

Repeat application as necessary.

PRECAUTIONARY STATEMENTS

READ LABEL BEFORE USE.

KEEP OUT OF THE REACH OF CHILDREN AND PETS

If medical advice is needed, have product container and label at hand.

Wash hands thoroughly with soap after handling. Refer to the MSDS for additional information.

STORAGE AND HANDLING: Store in a cool dry place. Avoid direct contact with the sun.

FIRST AID MEASURES:

AFTER INHALATION: The product does not irritate with inhalation. Supply fresh air; consult a doctor in case of complaints

AFTER SKIN CONTACT: The product does not irritate the skin. Wash areas with soap and water. If skin irritation occurs, consult a doctor

AFTER EYE CONTACT: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

AFTER SWALLOWING: If swallowed and symptoms occur, consult a doctor.

Contains: 1,2benzisothiazol-3-(2H)-one, May produce an allergic reaction

This product is not classified according to regulation (EC)No1272/2008