



## **RODILON SOFT BLOCK**

Version 7 / GB  
102000023729

1/11  
Revision Date: 01.08.2018  
Print Date: 02.08.2018

### **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

#### **1.1 Product identifier**

**Trade name** RODILON SOFT BLOCK  
**Product code (UVP)** 79855036

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Rodenticide

#### **1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer Environmental Science  
230 Cambridge Science Park  
Milton Road  
Cambridge  
Cambridgeshire CB4 0WB  
United Kingdom  
**Telephone** 00800-1214 9451  
**Telefax** +44(0)1223 426240  
**Responsible Department** Email: [ukinfo@bayercropscience.com](mailto:ukinfo@bayercropscience.com)

#### **1.4 Emergency telephone no.**

**Emergency telephone no.** 00800 1020 3333 (24 hr)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Specific target organ toxicity - repeated exposure: Category 2  
H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

Chronic aquatic toxicity: Category 3  
H412 Harmful to aquatic life with long lasting effects.

#### **2.2 Label elements**

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

**Hazard label for supply/use required.**

**Hazardous components which must be listed on the label:**

- difethialone

**RODILON SOFT BLOCK**Version 7 / GB  
1020000237292/11  
Revision Date: 01.08.2018  
Print Date: 02.08.2018**Signal word:** Warning**Hazard statements**

H412 Harmful to aquatic life with long lasting effects.  
H373 May cause damage to organs (Blood) through prolonged or repeated exposure.  
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P273 Avoid release to the environment.  
P314 Get medical advice/ attention if you feel unwell.  
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

**2.3 Other hazards**

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Bait (ready for use) (RB)  
Difethialone 0.0025 % w/w

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
difethialone	104653-34-1	Acute Tox. 1, H310 Repr. 1B, H360D Acute Tox. 1, H300 Aquatic Chronic 1, H410 Acute Tox. 1, H330 Aquatic Acute 1, H400 STOT RE 1, H372	0.0025

**Further information**

difethialone	104653-34-1	M-Factor: 100 (acute), 100 (chronic)
--------------	-------------	--------------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.



## **RODILON SOFT BLOCK**

Version 7 / GB  
102000023729

3/11  
Revision Date: 01.08.2018  
Print Date: 02.08.2018

### **SECTION 4: FIRST AID MEASURES**

#### **4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely. Keep under medical supervision for at least 48 hours.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water. Take off contaminated clothing and shoes immediately. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

#### **4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	If large amounts are ingested, the following symptoms may occur:  Bloody urine, Bloody faeces, Gum bleeding, Nose bleeding, Bruising and haemorrhage formation  Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).
-----------------	---

#### **4.3 Indication of any immediate medical attention and special treatment needed**

<b>Risks</b>	Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.
<b>Treatment</b>	Symptoms of poisoning may appear several hours later. Keep under medical supervision for at least 48 hours.  Systemic treatment: Monitor: blood picture. Monitor: prothrombin time/ INR. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. Recovery is spontaneous and without sequelae. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Symptoms of poisoning may appear several hours later.

### **SECTION 5: FIREFIGHTING MEASURES**

#### **5.1 Extinguishing media**

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
-----------------	--



## **RODILON SOFT BLOCK**

Version 7 / GB  
102000023729

4/11  
Revision Date: 01.08.2018  
Print Date: 02.08.2018

---

<b>5.2 Special hazards arising from the substance or mixture</b>	Dangerous gases are evolved in the event of a fire.
<b>5.3 Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

<b>Precautions</b>	Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.
--------------------	---

<b>6.2 Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).
--------------------------------------	---

### **6.3 Methods and materials for containment and cleaning up**

<b>Methods for cleaning up</b>	<p>Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed container.</p> <p>The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean floors and contaminated objects with plenty of water.</p>
<b>Additional advice</b>	Check also for any local site procedures.

<b>6.4 Reference to other sections</b>	<p>Information regarding safe handling, see section 7.</p> <p>Information regarding personal protective equipment, see section 8.</p> <p>Information regarding waste disposal, see section 13.</p>
--	--

---

## **SECTION 7: HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.
<b>Advice on protection</b>	Keep away from heat and sources of ignition.



## **RODILON SOFT BLOCK**

Version 7 / GB  
102000023729

5/11

Revision Date: 01.08.2018  
Print Date: 02.08.2018

### **against fire and explosion**

#### **Hygiene measures**

Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage areas and containers**

Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### **Advice on common storage**

Keep away from food, drink and animal feedingstuffs.

### **7.3 Specific end use(s)**

Refer to the label and/or leaflet.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1 Control parameters**

No known occupational limit values.

### **8.2 Exposure controls**

**Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.**

#### **Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### **Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### **Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN

**RODILON SOFT BLOCK**Version 7 / GB  
102000023729

6/11

Revision Date: 01.08.2018  
Print Date: 02.08.2018

374.

<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 5 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	pasty
<b>Colour</b>	blue
<b>Flash point</b>	Not applicable
<b>Water solubility</b>	Not dispersible
<b>Partition coefficient: n-octanol/water</b>	Difethialone: log Pow: 6.3
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive

**9.2 Other information** Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

**Acute oral toxicity** LD50 (Rat) > 2,500 mg/kg

**RODILON SOFT BLOCK**Version 7 / GB  
1020000237297/11  
Revision Date: 01.08.2018  
Print Date: 02.08.2018**Acute inhalation toxicity**

During intended and foreseen applications, no respirable aerosol is formed.

**Acute dermal toxicity**

LD50 (Rat) &gt; 2,000 mg/kg

**Skin corrosion/irritation**

No skin irritation (Rabbit)

**Serious eye damage/eye irritation**

No eye irritation (Rabbit)

**Respiratory or skin sensitisation**Non-sensitizing. (Guinea pig)  
OECD Test Guideline 406, Magnusson & Kligman test**Assessment STOT Specific target organ toxicity – single exposure**

Difethialone: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Difethialone caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Difethialone are related to antivitamin K properties.

**Assessment mutagenicity**

Difethialone was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Difethialone is not considered carcinogenic.

**Assessment toxicity to reproduction**

Difethialone: May damage the unborn child.

**Assessment developmental toxicity**

Difethialone did not cause developmental toxicity in rats and rabbits.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Further information**

No further toxicological information is available.

---

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity to fish**LC50 (Oncorhynchus mykiss (rainbow trout)) 51 µg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient.**Chronic toxicity to fish**Oncorhynchus mykiss (rainbow trout)  
NOEC: 22 µg/l  
The value mentioned relates to the active ingredient.**Toxicity to aquatic invertebrates**EC50 (Daphnia magna (Water flea)) 4,4 µg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient.**Chronic toxicity to aquatic**

NOEC (Daphnia magna (Water flea)): 3 µg/l

**RODILON SOFT BLOCK**Version 7 / GB  
102000023729

8/11

Revision Date: 01.08.2018  
Print Date: 02.08.2018

<b>invertebrates</b>	The value mentioned relates to the active ingredient.
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 65 µg/l Biomass; Exposure time: 96 h The value mentioned relates to the active ingredient. NOEC (Raphidocelis subcapitata (freshwater green alga)) 32 µg/l The value mentioned relates to the active ingredient.
<b>12.2 Persistence and degradability</b>	
<b>Biodegradability</b>	Difethialone: Not rapidly biodegradable
<b>12.3 Bioaccumulative potential</b>	
<b>Bioaccumulation</b>	Difethialone: Bioconcentration factor (BCF) 39,974 Bioaccumulative
<b>12.4 Mobility in soil</b>	
<b>Mobility in soil</b>	Difethialone: Immobile in soil
<b>12.5 Results of PBT and vPvB assessment</b>	
<b>PBT and vPvB assessment</b>	Difethialone: This substance is considered to be persistent, bioaccumulative and toxic (PBT). This substance is considered to be very persistent and very bioaccumulative (vPvB).
<b>12.6 Other adverse effects</b>	
<b>Additional ecological information</b>	No other effects to be mentioned.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

<b>Product</b>	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
<b>Contaminated packaging</b>	Do not re-use baits or empty containers. Not completely emptied packagings should be disposed of as hazardous waste.
<b>Contaminated packaging</b>	Do not re-use baits or empty containers. Not completely emptied packagings should be disposed of as hazardous waste. Rinsed packaging may be acceptable for landfill, otherwise incineration will be required in accordance with local regulations. Follow advice on product label and/or leaflet.
<b>Waste key for the unused product</b>	<b>06 13 01*</b> Inorganic plant protection products, wood-preserving agents and other biocides



## **RODILON SOFT BLOCK**

Version 7 / GB  
102000023729

9/11  
Revision Date: 01.08.2018  
Print Date: 02.08.2018

### **SECTION 14: TRANSPORT INFORMATION**

**According to ADN/ADR/UK 'Carriage' Regulations/RID/IMDG/IATA not classified as dangerous goods.**

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**14.1 – 14.5** Not applicable.

#### **14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

#### **14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

### **SECTION 15: REGULATORY INFORMATION**

#### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

##### **Transport**

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

##### **Supply and Use**

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

##### **Waste Treatment**

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

##### **Further information**

**RODILON SOFT BLOCK**Version 7 / GB  
102000023729

10/11

Revision Date: 01.08.2018  
Print Date: 02.08.2018

WHO-classification: III (Slightly hazardous)

**15.2 Chemical safety assessment**

A chemical safety assessment is not required.

**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Ready to use 'Baits' are insecticides packaged in plastic, tamper proof containers.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines



**RODILON SOFT BLOCK**

Version 7 / GB  
102000023729

11/11

Revision Date: 01.08.2018  
Print Date: 02.08.2018

established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.