

HAZARD STATEMENTS:

MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENTS:

KEEP OUT OF REACH OF CHILDREN

Read label before use.

Avoid breathing mist.

Avoid release to the environment.

Wear protective gloves.

IF SWALLOWED: Immediately call a **POISON CENTRE** or doctor/
physician.

Do NOT induce vomiting

Store locked up in a closed container.

Collect spillage.

Dispose of contents/container in accordance with national
regulations at an approved disposal site.



FOR USE ONLY AS AN INSECTICIDE.

CONTAINS: ODOURLESS KEROSENE AND AROMATIC HYDROCARBONS



ULV 500 Insecticide

TETRAMETHRIN 0.8% W/W (7.7g/l)
1R-TRANS PHENOTHRIN 4.46% W/W (36.8g/l)
PIPERONYL BUTOXIDE 8.83% W/W (70.6g/l)

A ready to use ulv insecticide for professional use against flying and crawling insects such as flies, beetles, mosquitoes, ants, cockroaches, wasps, earwigs, silverfish and other bristletails, fleas, bedbugs, moths, mites, spiders, ticks and booklice by application into the air in domestic, commercial and industrial premises including kitchens, hospitals (unoccupied wards), shops, offices, factories, airport buildings, warehouses, hotels, restaurants etc (plus food handling/processing/storage premises), farm buildings, animal houses, hatcheries, dairies, on board ships, dairies and indoor refuse processing facilities. Also for use in port and harbour buildings, stores and facilities. Not for use on grain or in grain stores.

FOR USE ONLY AS AN INSECTICIDE



Contents: 1 Litre

Batch No: See separate labels

Label Ref: NOV2019

DIRECTIONS FOR USE

Dose rate – 100ml per 1000m³

Flow rate – 35ml per minute
(Exodus & E2 Microgen machine)

Application equipment – Use the Exodus, Micro-gen or other suitable ULV-droplet generating equipment to disperse this product.

Use undiluted. Remove plastic screw cap and foil seal. Then fit the 1 litre capacity designated bottle into the machine. Ensure that the top of the bottle dip tube engages with the machine spindle. Close room or warehouse and shut off all ventilating systems and pilot lights. When using in animal houses, livestock need not be removed from the building but should not be sprayed directly with the mist. Leave the room closed for 1 hour after treatment. Do not remain in treated areas and ventilate before re-entry.

Repeat application as necessary for insect control. Space sprays containing pyrethrins or pyrethroids must not be used more than once a week against houseflies in intensive or controlled environment animal houses as they could cause control failure due to resistance. If more frequent treatments are required, use a product with a different active ingredient and if necessary, a different control method (such as a bait).

PRECAUTIONS:

To avoid risks to man and the environment, comply with the instructions for use. USE ONLY AS DESCRIBED ON THE LABEL.

RISK MITIGATION MEASURES:

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

Avoid excessive contamination of coveralls.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

This material and its container must be disposed of in a safe way.
DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

COVER ALL WATER STORAGE TANKS before application.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR COUNTRYSIDE COUNCIL FOR WALES.

HAZARDOUS TO BEES.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

NOT TO BE USED ON PET BEDDING, PET SLEEPING QUARTERS OR WHERE PETS FREQUENTLY LIE.

DO NOT APPLY DIRECTLY TO ANIMALS.

DO NOT APPLY TO CLOTHING OR BEDDING.

Protect milk machinery and milk containers from contamination.

KEEP IN A SAFE PLACE.

DO NOT TOUCH TREATED SURFACES UNTIL DRY.

COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

ACTION SHOULD BE TAKEN TO PREVENT FORAGING BEES GAINING ACCESS TO TREATED NESTS, PREFERABLY BY REMOVING THE COMBS OR BLOCKING THE NEST ENTRANCE.

WASH HANDS AND EXPOSED SKIN before meals and after use.

STATUTORY CONDITIONS RELATING TO USE FOR USE ONLY BY PROFESSIONAL OPERATORS.

Read all precautions before use

HSE No. 4647

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

This product is approved under the Control of Pesticides
Regulations 1986. HSE No.4647

Killgerm Chemicals Limited
Wakefield Road, Ossett, West Yorkshire, WF5 9AJ

t +(0) 1924 268 400 e info@killgerm.com
www.killgerm.com