

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE:

FOR USE ONLY AS AN INSECTICIDE. FOR USE ONLY BY PROFESSIONAL OPERATORS

Maximum Dosage: Dilute 50ml in 5L of water and apply at a rate of 5L of diluted product per 100-150 square metres of surface.

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE

HSE 10085

Killgerm[®]

Vazor[®]

Professional insecticides
for professional use

PRECAUTIONS

THE COSHH (CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH) REGULATIONS 2002 (AS AMENDED) APPLY TO THE USE OF THIS PRODUCT AT WORK.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY.

WASH HANDS AND EXPOSED SKIN BEFORE MEALS AND AFTER USE.

KEEP IN A SAFE PLACE.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

COVER ALL WATER STORAGE TANKS BEFORE APPLICATION.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

HAZARDOUS TO BEES.

ACTION SHOULD BE TAKEN TO PREVENT FORAGING BEES GAINING ACCESS TO TREATED NESTS, PREFERABLY BY REMOVING THE COMBS OR BLOCKING THE NEST ENTRANCE.

DO NOT APPLY DIRECTLY TO ANIMALS. EXCLUDE ANIMALS DURING APPLICATION. DO NOT APPLY TO CLOTHING AND BEDDING.

PROTECT MILK MACHINERY AND MILK CONTAINERS FROM CONTAMINATION.

COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION

THIS PRODUCT MUST NOT BE USED AGAINST HOUSE-FLIES IN INTENSIVE OR CONTROLLED ENVIRONMENT ANIMAL HOUSES BECAUSE IT IS LIKELY TO CAUSE CONTROL FAILURE DUE TO INSECTICIDE RESISTANCE.

DIRECTIONS FOR USE

AREAS OF USE

Insecticide for professional use against flying insects and crawling insects such as wasps, flies, mosquitoes, moths, beetles, ants cockroaches, and fleas.

INDOOR USE: For use in domestic premises (including kitchens), in hospitals (excluding occupied ward areas), factories, warehouses, hotels, restaurants, municipal or public buildings and in ships holds (but NOT in contact with uncovered food or grain). For use on non-porous surfaces. NOT to be used on human clothing and bedding.

OUTDOOR USE: In sheds, gardens, outhouses, garages, in and around farm buildings (such as barns, stables, dairies and milking parlours), and on paths, refuse tips (indoors and outdoors) and wasps nests.

DOSE RATES

Add concentrate to water, agitate and spray to just short of "run-off" as a low pressure hydraulic fan spray to floors, walls, behind cupboards, etc., and all places where insects hide or run.

Apply as a pin stream to cracks and crevices. For use against wasps, treat at sunset and drench nest with diluted product.

For Heavy Infestation:

Dilute 50ml in 5L of water and apply at a rate of 5L of diluted product per 100-150 square metres.

For Routine Use:

Dilute 25ml in 5L of water and apply at a rate of 5L of diluted product per 100-150 square metres.

CONDITIONS OF SALE

All goods supplied by us are of high grade and we believe them to be suitable but, as we cannot exercise control over their storage, handling mixing or use or the weather conditions before, during and after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded, and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

HAZARD STATEMENTS

**HARMFUL IF SWALLOWED
MAY CAUSE AN ALLERGIC
SKIN REACTION
VERY TOXIC TO AQUATIC LIFE
WITH LONG LASTING EFFECTS**

PRECAUTIONARY STATEMENTS

Keep out of reach of children.
Avoid breathing spray.
Do not eat, drink or smoke when using this product.
Wear eye protection, protective gloves.
IF SWALLOWED, call a POISON CENTRE or doctor if you feel unwell.



WARNING

IF ON SKIN: Wash with plenty of soap and water.
Dispose of contents/container at a licensed collection point.
To avoid risks to human health and the environment, comply with the instructions for use.

APPROVAL HOLDER:

Arysta LifeScience Benelux Sprl, Rue de Renory 26/1, B-4102 Ougrée, Belgium.
24 hour emergency telephone number: 01235 239670

Marketing Company:

Killgerm Chemicals Ltd., Wakefield Road, Ossett, West Yorkshire, WF5 9AJ
t 01924 268400 e sales@killgerm.com www.killgerm.com

Vazor[®] CYPERMETHRIN 10
CYPERMETHRIN BASED INSECTICIDE CONCENTRATE

CYPERMETHRIN 10

CYPERMETHRIN BASED INSECTICIDE CONCENTRATE

An oil in water emulsion containing 10.17% w/w Cypermethrin (100 g/L)

A broad spectrum pyrethroid insecticide for the control of crawling and flying insect pests in and around domestic and public buildings and food processing factories

PLEASE READ THIS LABEL CAREFULLY BEFORE OPENING CONTAINER. USE ONLY IN ACCORDANCE WITH THE DIRECTIONS ON THE LABEL.

CONTAINS: 10.17% W/W CYPERMETHRIN (100 G/L)

Contents: 1 x 1litre

 Killgerm[®]
www.killgerm.com

USE BIOCIDES SAFELY
Always read the label and
product information before use

Batch number-see separate sticker
D.O.M see separate sticker