



DE POWDER

FOR INSECT CONTROL

Professional insecticides for professional use

Vazor® DE Powder contains Silicium dioxide/Kieselguhr which acts on the outer layer of the cuticle of any insect it contacts. Their outer, protective waxy coating is disrupted and the insect dies. Use against ants, silverfish, woodlice, cockroaches, fleas, ticks, earwigs, carpet beetles, spiders, lice, mites, bedbugs, stored product species including saw-toothed grain beetle, rust-red grain beetle, grain weevil, lesser grain beetle, rust-red flour beetle, moth larvae, flour mite, cosmopolitan food mite, and against the poultry red mite.

CONTAINS: SILICIUM DIOXIDE/KIESELGUHR AND PROPAN-2-OL 35%

Contents: 500ml

USE BIOCIDES SAFELY

Always read the label and product information before use



Vazor DE 500ml Aerosol

Directions for use

Apply the product until a film covering is present on the surface. Vazor® DE Powder will remain dry and effective for long periods but optimal results will be achieved when treatment areas are dried before application. Apply in such a way as to maximise potential for contact between the product and the target pest. In certain premises/situations this may involve moving products, drying out the area or otherwise making changes to the harbourage to increase contact with the pest.

Areas of use

Domestic, commercial, institution & commercial premises, gardens, pets' quarters, kennels, pigeon lofts, waste bins/storage areas, poultry houses and stored product premises.

Dosage

This dose is rate is from the dust product. Regarding aerosol we recommend to produce an even spray film.

Silicium dioxide/Kieselguhr CAS 61790-53-2

User protection: Avoid unnecessary contact with the dust; misuse can lead to health damages. Do not breathe dust. Keep out of reach of children. Do not get in eyes, on skin, or on clothing.

First-aid measures:

Inhalation: Remove person from danger area. Supply person with fresh air and consult doctor according to symptoms. If the person is unconscious, place in a stable side position and consult a doctor.

Skin contact: Remove polluted, soaked clothing immediately; wash thoroughly with plenty of water and soap. In case of irritation of the skin (flare) consult a doctor.

Eye contact: Remove contact lenses. Wash thoroughly for several minutes for copious water. Seek medical help if necessary.

Ingestion: Rinse the mouth thoroughly with water. Do not induce vomiting – give copious amounts of water to drink. Consult doctor immediately.

Recommended: Wear multi-purpose protective gloves (EN 374), standard protective overall (plant protection) and mask with particle filter (Din EN 139 with particle filter P3) while spreading the Product.

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn even after use. Avoid breathing in vapours or spray. Use only outdoors or in a well ventilated area. Wear eye protection. Call a POISON CENTRE or doctor if you feel unwell. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C. In accordance with national regulations. Dispose of contents/container safely.

HAZARD CLASSIFICATION:

Causes serious eye irritation

May cause drowsiness or dizziness

Extremely flammable aerosol

Pressurised container: May burst if heated

Precautions

Use only as directed on this label. Avoid dispensing the product in a manner which produces large quantities of dust. Dust may produce irritating effect to eyes, respiratory system and skin. Wear suitable PPE when applying and if working in confined spaces. Empty container completely and dispose of safely.



DANGER

LABEL REF JAN 2020

Batch number-see can
D.O.M see can



Marketing Company:

Killgerm Chemicals Ltd, Wakefield Road, Ossett, West Yorkshire, WF5 9AJ.
Tel: +44 (0)1924 268 400, Email: info@killgerm.com, www.killgerm.com