

To avoid risks to man and the environment, comply with the instructions for use. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. Avoid contact with skin. COVER ALL WATER STORAGE TANKS before application. FOR INDOOR USE ONLY. REMOVE OR COVER ALL FISH TANKS AND BOWLS before application. ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES. FOR IRELAND: ALL BATS ARE PROTECTED UNDER SCHEDULE 5 OF THE WILDLIFE ACTS (1976 AND 2000). BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT THE NATIONAL PARKS AND WILDLIFE SERVICE. VENTILATE THE TREATED AREA THOROUGHLY when the smoke has cleared. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. HAZARDOUS TO BEES. ACTION SHOULD BE TAKEN TO PREVENT FORAGING BEES GAINING ACCESS TO TREATED NESTS, PREFERABLY BY REMOVING THE COMBS OR BLOCKING THE NEST ENTRANCE. WASH HANDS AND EXPOSED SKIN before meals and after use. KEEP IN A SAFE PLACE.

When used by professional operators the following also applies:

Wear suitable gloves. Avoid excessive contamination of coverall COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION. Protect milk machinery and milk containers from contamination. The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

Precautions:

Keep out of reach of children. Read carefully and follow all instructions. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing fumes. Do not eat, drink or smoke when using this product. In case of fire: Use alcohol resistant foam, carbon dioxide (CO₂), dry extinguishing powder to extinguish. Wear protective gloves. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTER, doctor if you feel unwell. If medical advice is needed, have product container or label at hand. Store locked up. Dispose of contents and container in accordance with national regulations.



WARNING

May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

UFI: W4A0-M043-T001-FUA2



INSECT KILLER FOGGERS

Professional insecticides for professional use
Contains permethrin 13.25% w/w

DIRECTIONS FOR USE

For use against flying and crawling insects such as houseflies, clusterflies, fruitflies, mosquitoes, wasps, moths, fleas, bed bugs, ants, cockroaches and stored product insects including saw-toothed grain beetle and adult grain weevils. For use in domestic situations, public hygiene areas including hospitals (not occupied wards), industrial and municipal buildings and food handling/storage/manufacturing premises. May also be used in zoos, pet shops, kennels, veterinary practices and laboratory animal houses (excluding animal pens and cages). Not for use on grain or in empty grain stores.

1061001-V01

Killgerm Chemicals Ltd,

Wakefield Road, Ossett, West Yorkshire, WF5 9AJ.
Tel: +44 (0)1924 268400 Email: info@killgerm.com



Killgerm[®]
www.killgerm.com

Rate of application (3.5g):

Apply at a rate of one generator per:

- 120m³ for flying insects
- 30m³ for fleas, bed bugs, carpet moths; or
- 7.5m³ for ants and cockroaches

As a guide to the number of fumers required refer to the following table:

Pest	Room size (assumes a standard ceiling height of 2.5m)		
	4m x 3m	4m x 6m	Up to 6m x 8m
Flying insects	1	1	1
Fleas, bed bugs and moths	1	2	4
Crawling insects, ants and cockroaches	4	8	16

Rate of application (27g):

Apply at a rate of one generator per:

- 1000m³ for flying insects
- 250m³ for fleas, bed bugs, carpet moths; or
- 62.5m³ for ants and cockroaches

As a guide to the number of fumers required refer to the following table:

Pest	Room size (assumes a standard ceiling height of 2.5m)		
	10m x 10m	20m x 10m	Up to 40m x 10m
Flying insects	1	1	1
Fleas, bed bugs and moths	1	2	4
Crawling insects, ants and cockroaches	4	8	16

Instructions for use:

For best results fumigate in the late afternoon and leave the house or building for a minimum period of 2 hours.

1. Consider how many fumers you need for the room to be treated.
2. Clear people and animals from the room before use – cover or remove fish tanks and pet bedding.
3. Make the area to be fumigated as smoke tight as possible by closing all windows etc.
4. Place canister(s) spaced out on the floor on a heat resistant surface e.g. a plate on top of a sheet of aluminium foil 50cm x 50cm.
5. Open canister(s) and light the fuse on the canister furthest from your exit point first, then light the next fumer and move towards your exit point. Close the door on exit, it is not necessary to seal the door with tape.
6. Leave for at least 2 hours but preferably overnight and then ventilate the room thoroughly.
7. For heavy infestations fumigate three times at five to seven day intervals.
8. For bed bug treatments always use in conjunction with a residual spray and dusting powder.

THIS DEVICE MAY TRIGGER SMOKE ALARMS/DETECTORS - REMOVE BATTERIES OR COVER DURING TREATMENT. THIS PRODUCT MAY EMIT SOME SPARKS UPON IGNITION. CAUTION MUST BE TAKEN WHEN LIGHTING THE PRODUCT.

THIS PRODUCT MUST NOT BE USED AGAINST HOUSEFLIES IN INTENSIVE OR CONTROLLED ENVIRONMENT ANIMAL HOUSES BECAUSE IT IS LIKELY TO CAUSE CONTROL FAILURE DUE TO INSECTICIDE RESISTANCE.

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE. FOR AMATEUR AND PROFESSIONAL USE.

Apply at a rate of one generator per: 120/1000m³ for flying insects

30/250m³ for fleas bed bugs, and carpet moths; or
7.5/62.5m³ for ants and cockroaches

Users must comply in full with all their responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE.

HSE No. 9600

PCS No. 97359